





















PICTURE	MACHINE NO	CAPACITY (TONS)	TYPE	BRAND	BED TABLE SIZE (MM)	RAM TABLE SIZE (MM)	COURSE ADJUSTMENT DISTANCE (MM)	STROKES PER MIN	TABLE RAM DISTANCE		RAM ADJUSTMENT DISTANCE (STROKE) (MM)	REAR / SIDE / FRONT FEATURES	OTHER FEATURES	LOWER PRESS STROKE (MM)	UPPER PRESS STROKE (MM)	LOWER IMPACT TONNAGE (TON)	YEAR
									MAX	MIN							
	PR90	500	MECHANIC	ERFURT	1500*2800	1500*2750	500	14	1000	500	500	FRONT:2800	ADDITIONAL TABLE 150*1500*2600	0-200	500	100TON(OIL PRESSURE)20(AIR PRESSURE)	1984
	PR91	500	MECHANIC	ERFURT	1500*2800	1500*2750	500	14	1000	500	500	FRONT:2800	ADDITIONAL TABLE 150*1500*2600	0-200	500	100TON(OIL PRESSURE)20(AIR PRESSURE)	1984
	PR92	500	MECHANIC	ERFURT	1500*2800	1500*2750	500	14	1000	500	500	FRONT:2800	ADDITIONAL TABLE 150*1500*2600	0-200	500	100TON(OIL PRESSURE)20(AIR PRESSURE)	1986
	PR93	500	MECHANIC	ERFURT	1500*2800	1500*2750	500	14	1000	540	500	FRONT:2800	ADDITIONAL TABLE 150*1500*2600	0-200	500	100TON(OIL PRESSURE)20(AIR PRESSURE)	1984

	PR94	500	MECHANIC	ERFURT	1500*2800	1500*2750	500	14	1000	560	500	FRONT:2800	ADDITIONAL TABLE 150*1500*2600	0-200	500	100TON(OIL PRESSER)20(AIR FRESHER)	1986
PICTURE	MACHINE NO	CAPACITIY (TON)	TYPE	BRAND	BED TABLE SIZE (MM)	RAM TABLE SIZE (MM)	COURSE ADJUSTMENT DISTANCE (MM)	STROKES PER MIN	TABLE RAM DISTANCE		RAM ADJUSMENT DISTANCE (STROKE) (MM)	REAR / SIDE / FRONT FEATURES	OTHER FEATURES	LOWER PRESS STROKE (MM)	UPPER PRESS STROKE (MM)	LOWER IMPACT TONNAGE (TON)	YEAR
									MAX	MIN							
	PR80	500	MECHANIC	ERFURT	1500*2800	1500*2750	500	14	980	860	500	FRONT:2800	KALIP KUMANDA SİSTEMİ KALIP DÜŞÜRÜCÜ LAMA	0-160	500	100TON(OIL PRESSURE)20(AIR PRESSURE)	1994
	PR81	315	MECHANIC	ERFURT	1400*2500	1400*2500	400	18	1100	700	400	FRONT:2500 SIDE:1400	HREKETLİ TABLA KALIP ÇIKARICI TABLA KALIP KUMANDA SİSTEMİ /ÜST PLK BAĞLANACAK MAXKALIP AĞIRLIĞI 4,5TON	0-200	500	63TON(OIL PRESSURE)10(AIR PRESSURE)	1994
	PR82	500	MECHANIC	ERFURT	1500*2800	1500*2750	500	14	1360	860	500	FRONT:2800	KALIP KUMANDA SİSTEMİ KALIP DÜŞÜRÜCÜ LAMA	0-160	500	100TON(OIL PRESSURE)20(AIR PRESSURE)	1994
	PR83	315	MECHANIC	ERFURT	1400*2500	1400*2500	400	18	1100	700	400	FRONT:2800	2.HAREKETLİ TABLA KALIP ÇIKARICI TABLA KALIP KUMANDA SİSTEMİ /ÜST PLK BAĞLANACAK MAX KALIP AĞIRLIĞI 4,5TON	0-200	500	63TON(OIL PRESSURE)10(AIR PRESSURE)	1994

	PR85	500	MECHANIC	ERFURT	1500*2800	1500*2750	500	14	1400	900	500	FRONT:2800	KALIP KUMANDA SİSTEMİ KALIP DÜŞÜRÜCÜ LAMA	0-160	500	100TON(OIL PRESSURE)20(AIR PRESSURE)	1994
PICTURE	MACHINE NO	CAPACITY (TON)	TYPE	BRAND	BED TABLE SIZE (MM)	RAM TABLE SIZE (MM)	COURSE ADJUSTMENT DISTANCE (MM)	STROKES PER MIN	TABLE RAM DISTANCE		RAM ADJUSTMENT DISTANCE (STROKE) (MM)	REAR / SIDE / FRONT FEATURES	OTHER FEATURES	LOWER PRESS STROKE (MM)	UPPER PRESS STROKE (MM)	LOWER IMPACT TONNAGE (TON)	YEAR
									MAX	MIN							
	PR02	125	ECCENTRIC	DIRİNLER	640*900	300*500	0-110	51	405	315	110	C PRESS OPEN	NO	YOK	110	YOK	
	PR-89	800	MECHANIC	SARIGÖZOĞLU	1110*1900	830*1700	500	14	700	460	500	FRONT:1000	NO	NO LOWER IMPACT	250	NO LOWER IMPACT	2005
	PR-95	800	MECHANIC	SARIGÖZOĞLU	1110*1900	1080*1700	500	14	700	460	500	FRONT:1000	NO	NO LOWER IMPACT	250	NO LOWER IMPACT	2005

	PR-86	630	MECHANIC	SARIGÖZOĞLU	1900*1110	1080*1700	380	17	700	460	250	SIDE:1100	NO	NO LOWER IMPACT	380	NO LOWER IMPACT	2005
	PR-60	630	MECHANIC	SARIGÖZOĞLU	1190*1890	950*1690	380	17	1100	850	250	1100	NO	NO LOWER IMPACT	380	NO LOWER IMPACT	2005
	PR-118	125	MECHANIC	DIRİNLER	600*860	320*500											
	PR-119	125	MECHANIC	BAUTOR	530*880	200*600											
PICTURE	MACHINE NO	CAPACITY (TON)	TYPE	BRAND	BED TABLE SIZE (MM)	RAM TABLE SIZE (MM)	COURSE ADJUSTMENT DISTANCE (MM)	STROKES PER MIN	TABLE RAM DISTANCE		RAM ADJUSTMENT DISTANCE (STROKE) (MM)	REAR / SIDE / FRONT FEATURES	OTHER FEATURES	LOWER PRESS STROKE (MM)	UPPER PRESS STROKE (MM)	LOWER IMPACT TONNAGE (TON)	YEAR
									MAX	MIN							
	PR-73	400	MECHANIC	INNOCENTI	1544*2743	2743*1524	400							NO LOWER IMPACT		NO LOWER IMPACT	
	PR-74	400	MECHANIC	INNOCENTI	1544*2743	2743*1524	400							NO LOWER IMPACT		NO LOWER IMPACT	
	PR-75	400	MECHANIC	INNOCENTI	1544*2743	2743*1524	400							NO LOWER IMPACT		NO LOWER IMPACT	



PR-78	500	MECHANIC	ERFURT	1500*2800	1500*2750	500	14	1400	900	500	FRONT:2800	KALIP KUMANDA SİSTEMİ KALIP DÜŞÜRÜCÜ LAMA	0-160	500	100TON(OIL PRESSURE)20(AIR PRESSURE)	
-------	-----	----------	--------	-----------	-----------	-----	----	------	-----	-----	------------	---	-------	-----	--------------------------------------	--

PICTURE	MACHINE NO	CAPACIITY (TON)	TYPE	BRAND	BED TABLE SIZE (MM)	RAM TABLE SIZE (MM)	COURSE ADJUSTMENT DISTANCE (MM)	STROKES PER MIN	TABLE RAM DISTANCE		RAM ADJUSTMENT DISTANCE (STROKE) (MM)	REAR / SIDE / FRONT FEATURES	OTHER FEATURES	LOWER PRESS STROKE (MM)	UPPER PRESS STROKE (MM)	LOWER IMPACT TONNAGE (TON)	YEAR
									MAX	MIN							



PR76	300	HYDRAULIC	SARIGÖZOĞLU	890*1310	790*790	400	100mm: 12pcs/min	840	440		FRONT:950 REAR:950		200	700	100	
PR17	300	HYDRAULIC	SARIGÖZOĞLU	1220*1460 KOLONLU	1220*1250	1000	300mm: 3pcs/min	1100	100		FRONT:1200 SIDE:830		320	1000	100	
PR51	300	HYDRAULIC	SARIGÖZOĞLU	1200*1265 KOLONLU	1200*1265	250	320mm: 7pcs/min	1130	460				200	800	100	
PR52	300	HYDRAULIC	SARIGÖZOĞLU	900*1300	800*800	400	100mm: 12pcs/min	840	440		FRONT:790 SIDE:750		200	700	100	